

**Bryan T. Kelly, MD
Center for Hip Pain and Preservation
Hospital for Special Surgery
541 East 71st Street
New York, NY 10021**

Tel: 212.606.1159 Fax: 646.797.8865

**Hip Arthroscopy Rehabilitation
Partial Psoas Release with or without FAI Component with Labral refixation**

General Guidelines:

- Limited ER to 20 degrees (2 weeks)
- No hyperextension (4 weeks)
- Normalize gait pattern with brace and crutches
- Weight-bearing as per procedure performed
- Continuous Passive Motion Machine
 - 4 hours/day or 2 hours if on bike on stationary bike for 2 bouts of 20-30 minute sessions

Rehabilitation Goals:

- Seen post-op Day 1
- Seen 2x/week for first month
- Seen 2x/week for second month
- Seen 2-3x/week for third month
- Seen 1-2x/week for fourth month

Precautions following Hip Arthroscopy/FAI: (Refixation/Osteochondroplasty)

- Weight-bearing will be determined by procedure
- Hip flexors tendonitis
- Trochanteric bursitis
- Synovitis
- Manage scarring around portal sites and hip flexor region

Bryan T. Kelly, MD
Center for Hip Pain and Preservation
Hospital for Special Surgery
541 East 71st Street
New York, NY 10021

Tel: 212.606.1159 Fax: 646.797.8865

- Increase range of motion focusing on flexion, careful of external rotation, and aggressive extension

Guidelines:

- **Weeks 0-2**

- NO EXTERNAL ROTATION > 20 degrees
- CPM for 4 hours/day
- Bike for 20 minutes/day (can be 2x/day)
- Scar massage
- Hip PROM as tolerated with ER as tolerated
- Supine hip log rolling for internal rotation/external rotation
- Progress with ROM
 - Introduce stool rotations/prone rotations
- Hip isometrics - NO FLEXION
 - Abduction, adduction , extension, ER
- Pelvic tilts
- Supine bridges
- NMES to quads with SAQ
- Quadruped rocking for hip flexion
- Sustained stretching for psoas with cryotherapy (2 pillows under hips)
- Gait training PWB with assistive device
- Modalities

Bryan T. Kelly, MD
Center for Hip Pain and Preservation
Hospital for Special Surgery
541 East 71st Street
New York, NY 10021

Tel: 212.606.1159 Fax: 646.797.8865

- **Weeks 2-4**

- Continue with previous therex
- Progress Weight-bearing (week 3)
 - Week 4: wean off crutches (2 → 1 → 0)
- Progress with hip ROM
 - Bent knee fall outs (week 4)
 - Stool/prone rotations for ER (week 3-4)
- Glut/piriformis stretch
- Progress core strengthening (avoid hip flexor tendonitis)
- Progress with hip strengthening – isotonics all directions except flexion
 - Start isometric sub max pain free hip flexion(3-4 wks)
- Step downs
- Clam shells → isometric side-lying hip abduction
- Hip Hiking (week 4)
- Begin proprioception/balance training
 - Balance boards, single leg stance
- Bike / Elliptical
- Scar massage
- Bilateral Cable column rotations (week 4)
- Treadmill side stepping from level surface holding on → inclines (week 4)
- Aqua therapy in low end of water

- **Weeks 4-8**

Bryan T. Kelly, MD
Center for Hip Pain and Preservation
Hospital for Special Surgery
541 East 71st Street
New York, NY 10021

Tel: 212.606.1159 Fax: 646.797.8865

- Continue with previous therex
 - Progress with ROM
 - Standing BAPS rotations
 - External rotation with FABER
 - Hip Joint mobs with mobilization belt
 - Lateral and inferior with rotation
 - Prone posterior-anterior glides with rotation
 - Hip flexor, glute/piriformis, and It-band Stretching – manual and self
 - Progress strengthening LE
 - Introduce hip flexion isotonics (Be aware of hip flexion tendonitis)
 - Multi-hip machine (open/closed chain)
 - Leg press (bilateral → unilateral)
 - Isokinetics: knee flexion/extension
 - Progress core strengthening (avoid hip flexor tendonitis)
 - Prone/side planks
 - Progress with proprioception/balance
 - Bilateral → unilateral → foam → dynadisc
 - Progress cable column rotations –unilateral → foam
 - Side stepping with theraband
 - Hip hiking on Stairmaster
- **Weeks 8-12**
 - Progressive hip ROM

**Bryan T. Kelly, MD
Center for Hip Pain and Preservation
Hospital for Special Surgery
541 East 71st Street
New York, NY 10021**

Tel: 212.606.1159 Fax: 646.797.8865

- Progressive LE and core strengthening
- Endurance activities around the hip
- Dynamic balance activities
- **Weeks 12-16**
 - Progressive LE and core strengthening
 - Plyometrics
 - Treadmill running program
 - Sport specific agility drills
- **3,6,12 months Re-Evaluate (Criteria for discharge)**
 - Hip Outcome Score
 - Pain free or at least a manageable level of discomfort
 - MMT within 10 percent of uninvolved LE
 - Biodex test of Quadriceps and Hamstrings peak torque within 15 percent of uninvolved
 - Single leg cross-over triple hop for distance:
 - Score of less than 85% are considered abnormal for male and female
 - Step down test